

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

		<u> </u>	· · · · · · · · · · · · · · · · · · ·	
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/964,891	09/28/2001	John S. Hendricks	SEDN/3698D7	2109
56015 7590 11/01/2007 PATTERSON & SHERIDAN, LLP/ SEDNA PATENT SERVICES, LLC			EXAMINER	
			SHELEHEDA, JAMES R	
595 SHREWSBURY AVENUE SUITE 100			ART UNIT	PAPER NUMBER
SHREWSBURY, NJ 07702			2623	
			MAIL DATE	DELIVERY MODE
			11/01/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	09/964,891	HENDRICKS, JOHN S.		
Office Action Summary	Examiner	Art Unit		
	James Sheleheda	2623		
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with	the correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING E - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by stature Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICA .136(a). In no event, however, may a repl d will apply and will expire SIX (6) MONTH te, cause the application to become ABAN	ATION. y be timely filed S from the mailing date of this communication. IDONED (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on 12 s This action is FINAL . 2b) ☐ This action for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matter	•		
Disposition of Claims				
4) Claim(s) 1-25 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-25 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/ Application Papers	awn from consideration.			
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the corre 11) The oath or declaration is objected to by the E	cepted or b) objected to by e drawing(s) be held in abeyance ction is required if the drawing(s)	e. See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list 	nts have been received. nts have been received in Apporting ority documents have been read (PCT Rule 17.2(a)).	olication Noeceived in this National Stage		
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/	nmary (PTO-413) Mail Date ormal Patent Application		
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:				

Application/Control Number: 09/964,891 Page 2

Art Unit: 2623

DETAILED ACTION

Response to Arguments

- 1. Applicant's arguments with respect to claims 1-25 have been considered but are most in view of the new ground(s) of rejection.
- 2. In response to applicant's traversal of the Official Notices and request for evidence, it is noted that applicant previously traversed the official Notices and was provided supporting evidence in a prior office action mailed 05/16/06. Thus, applicant's blanket traversal of all of the official notices, while providing no additional arguments or reasoning to overcome the provided references, is not persuasive.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 4. Claims 1-25 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

There is no support in the specification for "means to demultiplex video, audio, graphics and text" and "means to receive an upgrade module that provides separate access to the audio" as recited in claims 1, 8, 22 and 23. While the specification discloses a "digital radio tuner" upgrade which will allow access to digital radio channels (page 36, lines 7-12), this digital radio tuner upgrade includes a separate tuner to tune to the digital radio channels (see page 36, lines 7-12). The specification is silent as to any particular means to de-multiplex *and* provide separate access to the audio. The digital radio upgrade utilizes a separate *tuner* to access digital radio channels, and is not specifically disclosed as providing access to audio which is *multiplexed* with the video, graphics and text.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goldstein (5,410,326) (of record) in view of Seth-Smith et al. (Seth-Smith) (4,890,321) (of record) and Graczyk et al. (Graczyk) (5,192,999) (of record).

As to claim 1, while Goldstein discloses a set top terminal for generating an interactive electronic program guide for display on a television for use with a television delivery system (column 33, lines 3-34), the terminal comprising:

Art Unit: 2623

means for retrieving information about a subscriber (column 14, lines 51-55); means for receiving a television signal (column 16, lines 38-45);

means for extracting individual programs from the television signal (column 17, lines 20-22);

means to demultiplex video, audio, graphics and text (136; see Fig. 14; column 16, line 38-column 19, line 12);

means for generating an electronic program guide for controlling display of content on a television screen (column 17, lines 16-19), the guide comprising:

a home menu (master menu; column 34, lines 1-9);

a plurality of major menus displayed as menu options on the home menu (column 34, lines 6-19);

a plurality of sub-menus displayed as menu options on the plurality of major menus (column 34, line 67-column 35, line 59); and

a plurality of during programming menus enacted after selection of a program (additional information icons displayed during a program; column 14, lines 3-20);

wherein at least one of the plurality of menus comprises the demultiplexed video, graphics and text (the display comprises overlaid icons onto the video signal; column 14, lines 3-20); and

means for receiving the selection signals from a user input (column 17, lines 43-50), he fails to specifically disclose means to separately access the audio while a program extracted from the television signal is being displayed, wherein the audio is independent from the television signal, the audio is accessed simultaneously while the

Art Unit: 2623

television signal is being displayed and wherein at least one of the menus comprises displaying a plurality of audio choices for accessing the audio and means to receive an audio upgrade module.

In an analogous art, Graczyk discloses a system capable of receiving television signals and audio signals (column 2, lines 10-38) including audio circuits which are solely used for receiving audio signals (see Fig. 4) by providing audio circuitry through an audio expansion (upgrade) module (Fig. 1 and 4; column 10, line 33-column 11, line 44 and column 32, lines 62-66) for the typical benefit of providing a user friendly means to combine multiple media abilities into a single standardized system (column 1, line 37-column 2, line 8).

Additionally, in an analogous art, Seth-Smith discloses a television distribution system (Fig. 1) wherein the received television signal contains video and multiple audio channels (see Figs. 3-4; column 6, lines 43-52 and column 4, lines 22-47) and wherein the user will navigate a menu (column 32, lines 9-26) displaying a plurality of audio choices for accessing the audio (column 32, lines 9-26, column 7, lines 45-67, column 25, line 66-column 26, line 5 and column 14, lines 5-18) to allow the user to separately access a particular audio channel (such as accessing one preferred language or dialect for a program; column 32, lines 9-26, column 7, lines 45-67, column 25, line 66-column 26, line 5 and column 14, lines 5-18), wherein the audio is independent from the television signal (additional pay per listen audio content; column 7, lines 63-68, column 14, lines 12-15 and column 27, lines 54-64) and accessed simultaneously while the television signal is being displayed (column 23, lines 37-52) for the typical benefit of

Art Unit: 2623

allowing the viewer to select and listen to program audio in the language/dialect they prefer (column 14, lines 5-18).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Goldstein's system to include a means to receive an audio upgrade module, as taught by Graczyk, for the typical benefit of providing a user friendly means to combine multiple media abilities into a single standardized system.

Additionally, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Goldstein and Graczyk's system to include means to separately access the audio while a program extracted from the television signal is being displayed, wherein the audio is independent from the television signal, the audio is accessed simultaneously while the television signal is being displayed and wherein at least one of the menus comprises displaying a plurality of audio choices for accessing the audio, as taught by Seth-Smith, for the typical benefit of allowing the viewer to select and listen to program audio in the language/dialect they prefer.

As to claim 2, Goldstein, Graczyk and Seth-Smith disclose wherein the plurality of menus of the guide further comprises:

an introductory menu that is displayed upon beginning use of the guide (local menu to perform initialization; see Goldstein at column 33, lines 11-34).

As to claim 3, Goldstein, Graczyk and Seth-Smith disclose wherein the guide is controlled by a set top terminal (television receiver; see Goldstein at column 33, lines

Art Unit: 2623

11-33), and wherein the introductory menu automatically appears on the television screen when the set top terminal is turned on (see Goldstein at column 3, lines 11-16); and

the terminal further comprises:

means for generating a cursor highlight overlay to indicate the position of a cursor on at least one menu (see Goldstein at column 9, lines 24-43, column 34, lines 10-28);

means for moving the cursor highlight overlay in response to pressing of cursor movement buttons by a user (see Goldstein at column 9, lines 24-43, column 34, lines 10-28).

As to claim 4, Goldstein, Graczyk and Seth-Smith disclose wherein the introductory menu displays information or messages from a television delivery system operations center that provides programming (see Goldstein at column 33, lines 11-68).

As to claim 5, Goldstein, Graczyk and Seth-Smith disclose wherein the information or messages are directed to a particular subscriber (see Goldstein at column 20, lines 54-63).

As to claim 6, Goldstein, Graczyk and Seth-Smith disclose wherein the information or messages are directed to a group of subscribers (see Goldstein at column 20, lines 54-63).

Art Unit: 2623

As to claim 7, Goldstein, Graczyk and Seth-Smith disclose wherein the during program menus comprise hidden menus and program overlay menus (comprising overlaid icons and hidden embedded information; see Goldstein at column 14, lines 3-20).

7. Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Banker et al. (Banker) (5,477,262) (of record) in view of Seth-Smith and Graczyk.

As to claim 22, while Banker discloses a set top terminal (Fig. 3, 300; column 10, lines 61-63) for generating an interactive electronic program guide for display on a television connected to the set top terminal (Fig. 3; column 3, lines 20-29), the terminal comprising:

means for retrieving information about a subscriber (column 24, lines 19-39);
means for receiving a television signal (column 10, line 61-column 11, line 22);
means for extracting individual programs from the television signal (column 13, lines 49-59);

means to demultiplex video, audio, graphics and text (304; column 11, lines 2-30);

means for generating an electronic program guide for controlling display of content on a television screen (column 11, lines 21-31), the guide comprising:

a plurality of interactive menus (interactive menus for such features as sleep mode, messages, pay-per-view, VCR timing and STB control; Figs. 8, 10, 12, 16A, 18

Art Unit: 2623

and 20; column 21, line 44-column 25, line 27), each corresponding to a level of interactivity and having one or more interactive menu items for selection (Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27);

a main menu having one or more main menu items for selection (top menu; Fig. 7A), which main menu items correspond to the interactive menus (corresponding to the submenus; Fig. 7 and 7A; column 21, lines 34-45), wherein the menus are navigated using a user input (column 21, lines 34-43), and wherein the main menu items and the interactive menu items are responsive to selection signals received from the user input (column 21, lines 34-43);

wherein at least one of the plurality of menus comprises the demultiplexed video, graphics and text (menu with video background; column 12, line 48-column 13, line 13); and

means for receiving the selection signals from the user input (Figs. 3 and 4; column 16, lines 19-42), he fails to specifically disclose means to separately access the audio while a program extracted from the television signal is being displayed, wherein the audio is independent from the television signal, the audio is accessed simultaneously while the television signal is being displayed and wherein at least one of the menus comprises displaying a plurality of audio choices for accessing the audio and means to receive an audio upgrade module.

In an analogous art, Graczyk discloses a system capable of receiving television signals and audio signals (column 2, lines 10-38) including audio circuits which are solely used for receiving audio signals (see Fig. 4) by providing audio circuitry through

an audio expansion (upgrade) module (Fig. 1 and 4; column 10, line 33-column 11, line 44 and column 32, lines 62-66) for the typical benefit of providing a user friendly means to combine multiple media abilities into a single standardized system (column 1, line 37-column 2, line 8).

Additionally, in an analogous art, Seth-Smith discloses a television distribution system (Fig. 1) wherein the received television signal contains video and multiple audio channels (see Figs. 3-4; column 6, lines 43-52 and column 4, lines 22-47) and wherein the user will navigate a menu (column 32, lines 9-26) displaying a plurality of audio choices for accessing the audio (column 32, lines 9-26, column 7, lines 45-67, column 25, line 66-column 26, line 5 and column 14, lines 5-18) to allow the user to separately access a particular audio channel (such as accessing one preferred language or dialect for a program; column 32, lines 9-26, column 7, lines 45-67, column 25, line 66-column 26, line 5 and column 14, lines 5-18), wherein the audio is independent from the television signal (additional pay per listen audio content; column 7, lines 63-68, column 14, lines 12-15 and column 27, lines 54-64) and accessed simultaneously while the television signal is being displayed (column 23, lines 37-52) for the typical benefit of allowing the viewer to select and listen to program audio in the language/dialect they prefer (column 14, lines 5-18).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker's system to include a means to receive an audio upgrade module, as taught by Graczyk, for the typical benefit of providing a user friendly means to combine multiple media abilities into a single standardized system.

Art Unit: 2623

Additionally, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker and Graczyk's system to include means to separately access the audio while a program extracted from the television signal is being displayed, wherein the audio is independent from the television signal, the audio is accessed simultaneously while the television signal is being displayed and wherein at least one of the menus comprises displaying a plurality of audio choices for accessing the audio, as taught by Seth-Smith, for the typical benefit of allowing the viewer to select and listen to program audio in the language/dialect they prefer.

As to claim 23, while Banker discloses a method of generating an interactive electronic program guide for display on a television connected to the set top terminal (Fig. 3; column 3, lines 20-29), the method comprising:

receiving a television signal from an operations center (column 10, line 61-column 11, line 22), the signal having a plurality of television programs (column 9, lines 1-12) and interactive features (column 8, lines 45-67 and column 9, lines 13-25);

extracting the individual programs from the television signal (column 13, lines 49-59);

demultiplexing video, audio, graphics and text (304; column 11, lines 2-30); generating a plurality of menus, including:

generating a plurality of interactive menus (interactive menus for such features as sleep mode, messages; pay-per-view, VCR timing and STB control; Figs. 8, 10, 12,

Art Unit: 2623

16A, 18 and 20; column 21, line 44-column 25, line 27) each corresponding to a level of interactivity (Figs. 8, 10, 18 and 20; column 21, line 44-column 25, line 27);

generating a plurality of program menus having information related to the programs (Figs. 12 and 16A; column 21, line 44-column 25, line 27); and

generating a main menu having one or more main menu items for selection (top menu; Fig. 7A), the main menu items including an interactive menu item for accessing the interactive menus (Fig. 7 and 7A; column 21, lines 34-45) and a program menu item for accessing the program menus (Fig. 7 and 7A; column 21, lines 34-45);

displaying the main menu on the television screen (Fig. 7 and 7A; column 21, lines 34-45);

receiving from a user input device a selection of one of the menu items (column 21, lines 34-43); and

displaying the interactive or program menus associated with the selection (Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27);

wherein at least one of the plurality of menus comprises the demultiplexed video, graphics and text (menu with video background; column 12, line 48-column 13, line 13), he fails to specifically disclose means to separately access the audio while a program extracted from the television signal is being displayed, wherein the audio is independent from the television signal, the audio is accessed simultaneously while the television signal is being displayed and wherein at least one of the menus comprises displaying a plurality of audio choices for accessing the audio and means to receive an audio upgrade module.

Art Unit: 2623

In an analogous art, Graczyk discloses a system capable of receiving television signals and audio signals (column 2, lines 10-38) including audio circuits which are solely used for receiving audio signals (see Fig. 4) by providing audio circuitry through an audio expansion (upgrade) module (Fig. 1 and 4; column 10, line 33-column 11, line 44 and column 32, lines 62-66) for the typical benefit of providing a user friendly means to combine multiple media abilities into a single standardized system (column 1, line 37-column 2, line 8).

Additionally, in an analogous art, Seth-Smith discloses a television distribution system (Fig. 1) wherein the received television signal contains video and multiple audio channels (see Figs. 3-4; column 6, lines 43-52 and column 4, lines 22-47) and wherein the user will navigate a menu (column 32, lines 9-26) displaying a plurality of audio choices for accessing the audio (column 32, lines 9-26, column 7, lines 45-67, column 25, line 66-column 26, line 5 and column 14, lines 5-18) to allow the user to separately access a particular audio channel (such as accessing one preferred language or dialect for a program; column 32, lines 9-26, column 7, lines 45-67, column 25, line 66-column 26, line 5 and column 14, lines 5-18), wherein the audio is independent from the television signal (additional pay per listen audio content; column 7, lines 63-68, column 14, lines 12-15 and column 27, lines 54-64) and accessed simultaneously while the television signal is being displayed (column 23, lines 37-52) for the typical benefit of allowing the viewer to select and listen to program audio in the language/dialect they prefer (column 14, lines 5-18).

Art Unit: 2623

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker's system to include a means to receive an audio upgrade module, as taught by Graczyk, for the typical benefit of providing a user friendly means to combine multiple media abilities into a single standardized system.

Additionally, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker and Graczyk's system to include means to separately access the audio while a program extracted from the television signal is being displayed, wherein the audio is independent from the television signal, the audio is accessed simultaneously while the television signal is being displayed and wherein at least one of the menus comprises displaying a plurality of audio choices for accessing the audio, as taught by Seth-Smith, for the typical benefit of allowing the viewer to select and listen to program audio in the language/dialect they prefer.

8. Claims 8-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Banker in view of Seth-Smith and Gibson (5,539,871) (of record) and Graczyk.

As to claim 8, Banker discloses a set top terminal (Fig. 3, 300; column 10, lines 61-63) for generating an interactive electronic program guide for display on a television connected to the set top terminal (Fig. 3; column 3, lines 20-29), the terminal comprising:

means for receiving a television signal (column 10, line 61-column 11, line 22); means for extracting individual programs from the television signal (column 13, lines 49-59);

means to demultiplex video, audio, graphics and text (304; column 11, lines 2-30);

means for generating an electronic program guide for controlling display of content on a television screen (column 11, lines 21-31), the guide comprising:

a plurality of menus (interactive menus for such features as sleep mode, messages, pay-per-view, VCR timing and STB control; Figs. 8, 10, 12, 16A, 18 and 20; column 21, line 44-column 25, line 27), and wherein at least one of the plurality of menus comprises the demultiplexed video, graphics and text (menu with video background; column 12, line 48-column 13, line 13);

an overlay menu that is displayed during the one of the programs (Figs. 7 and 7A; column 12, line 62-column 13, line 13 and column 21, lines 34-43), the overlay menu including interactive features (Fig. 7A); and

means for receiving selection signals from a user input (Figs. 3 and 4; column 16, lines 19-42).

While Banker discloses an overlay menu that is displayed in response to a signal received from the user input (column 19, line 59-column 20, line 5), he fails to specifically disclose means to separately access the audio while a program extracted from the television signal is being displayed, wherein the audio is independent from the television signal, the audio is accessed simultaneously while the television signal is being displayed and wherein at least one of the menus comprises displaying a plurality of audio choices for accessing the audio and a logo that is displayed on the television screen during one of the programs, which program has one or more interactive features,

Art Unit: 2623

wherein the logo indicates to a user that the interactive features are available for the program and means to receive an audio upgrade module.

In an analogous art, Graczyk discloses a system capable of receiving television signals and audio signals (column 2, lines 10-38) including audio circuits which are solely used for receiving audio signals (see Fig. 4) by providing audio circuitry through an audio expansion (upgrade) module (Fig. 1 and 4; column 10, line 33-column 11, line 44 and column 32, lines 62-66) for the typical benefit of providing a user friendly means to combine multiple media abilities into a single standardized system (column 1, line 37-column 2, line 8).

Additionally, in an analogous art, Seth-Smith discloses a television distribution system (Fig. 1) wherein the received television signal contains video and multiple audio channels (see Figs. 3-4; column 6, lines 43-52 and column 4, lines 22-47) and wherein the user will navigate a menu (column 32, lines 9-26) displaying a plurality of audio choices for accessing the audio (column 32, lines 9-26, column 7, lines 45-67, column 25, line 66-column 26, line 5 and column 14, lines 5-18) to allow the user to separately access a particular audio channel (such as accessing one preferred language or dialect for a program; column 32, lines 9-26, column 7, lines 45-67, column 25, line 66-column 26, line 5 and column 14, lines 5-18), wherein the audio is independent from the television signal (additional pay per listen audio content; column 7, lines 63-68, column 14, lines 12-15 and column 27, lines 54-64) and accessed simultaneously while the television signal is being displayed (column 23, lines 37-52) for the typical benefit of

Art Unit: 2623

allowing the viewer to select and listen to program audio in the language/dialect they prefer (column 14, lines 5-18).

Finally, in an analogous art, Gibson discloses a system wherein an interactive menu system for display on a television in conjunction with television programming (column 2, lines 10-27), wherein

a logo that is displayed on a display during a program having one or more interactive features (column 3, line 65-column 4, line 35 and column 6, lines 1-24);

a overlay menu that is displayed during the program (displayed list of choices; column 6, lines 51-56), the overlay menu including the interactive features (column 6, lines 53-62),

wherein the logo indicates to a user that the interactive features are available for the program (column 4, lines 7-35 and column 6, lines 1-24), and wherein the overlay menu is displayed in response to a signal received from a user input (column 6, line 38-56) for the typical benefit of allowing a user to elect to access additional information associated with a multimedia presentation (column 1, lines 39-63).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker's system to include a means to receive an audio upgrade module, as taught by Graczyk, for the typical benefit of providing a user friendly means to combine multiple media abilities into a single standardized system.

Additionally, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker and Graczyk's system to include means to separately access the audio while a program extracted from the television signal is

being displayed, wherein the audio is independent from the television signal, the audio is accessed simultaneously while the television signal is being displayed and wherein at least one of the menus comprises displaying a plurality of audio choices for accessing the audio, as taught by Seth-Smith, for the typical benefit of allowing the viewer to select and listen to program audio in the language/dialect they prefer.

Finally, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker, Graczyk and Seth-Smith's system to include a logo that is displayed on the television screen during one of the programs, which program has one or more interactive features, wherein the logo indicates to a user that the interactive features are available for the program, as taught by Gibson, for the typical benefit of providing a user with a means to easily identify and access additional information related to a displayed video presentation.

As to claim 9, Banker, Graczyk, Seth-Smith and Gibson disclose wherein the overlay menu includes menu options for a plurality of interactive features (see Banker at Figs. 7 and 7A and Gibson at column 5, lines 38-54 and column 6, lines 52-56).

As to claim 10, Banker, Graczyk, Seth-Smith and Gibson disclose wherein the overlay menu further includes a menu option to return to the program without the interactive features (see Banker at Fig. 7A and Gibson at column 6, lines 57-60 and Fig. 6, steps 610, 612 and 616).

Art Unit: 2623

As to claim 11, Banker, Graczyk, Seth-Smith and Gibson disclose a cursor that indicates one of the menu options (see Banker at column 21, lines 34-43 and Gibson at column 6, lines 51-56, column 4, lines 27-35 and column 3, lines 36-39), wherein the cursor is controlled by the user input (see Banker at column 21, lines 34-43 and Gibson at column 4, lines 27-35 and column 3, lines 36-39).

As to claim 12, Banker, Graczyk, Seth-Smith and Gibson disclose wherein the interactive features include facts related to the program (see Gibson at column 4, line 65-column 5, line 5).

As to claim 13, Banker, Graczyk, Seth-Smith and Gibson disclose wherein the guide further comprises a plurality of interactive submenus for use with the interactive features (see Banker at Figs. 7 and 7A and column 21, lines 34-43), which submenus are displayed in response to a selection of the menu items (see Banker at column 21, lines 34-43), the selection being received as at least one of the selection signals from the user input (see Banker at column 21, lines 34-43).

As to claim 14, while Banker, Graczyk, Seth-Smith and Gibson discloses displaying a plurality of submenus (see Banker at Fig. 7A), they fail to specifically disclose wherein the submenus are displayed in a video window in a scaled down program video format.

The examiner takes Official Notice that it was notoriously well known in the art at

the time of invention by applicant to simultaneously display a reduced version of a menu

with a plurality of selections on the same display as video programming, wherein the

menu and video programming are each scaled to cover a smaller portion of the overall

display to allow both to be fully displayed to the user at the same time, for the typical

benefit of allowing a viewer to continue fully viewing a television program while

navigating a menu and not miss any of the displayed video program.

It would have been obvious to one of ordinary skill in the art at the time of

invention by applicant to modify Banker, Graczyk, Seth-Smith and Gibson's system to

include wherein the submenus are displayed in a video window in a scaled down.

program video format for the typical benefit of allowing a viewer to continue viewing a

television program while navigating a menu and not miss any of the displayed video

program.

As to claim 15, Banker, Graczyk, Seth-Smith and Gibson wherein the program

and one or more of the submenus are displayed on the television at the same time (see

Banker at column 12, line 63-column 13, line 13).

As to claim 16, Banker, Graczyk, Seth-Smith and Gibson wherein the logo is

displayed as an overlay menu (overlaid button to select; see Gibson at column 4, lines

7-36).

Art Unit: 2623

As to claim 17, Banker, Graczyk, Seth-Smith and Gibson wherein the logo is displayed by the set top terminal (see Banker at Fig. 3; column 12, lines 42-61), and wherein the set top terminal determines whether there is data or information about the program to be displayed as the one or more interactive features (see Gibson at column 5, lines 38-54) and displays the logo if there is data or information (see Gibson at column 6, lines 1-10).

As to claim 18, Banker, Graczyk, Seth-Smith and Gibson disclose wherein the set top terminal (see claim 17) generates an overlay menu including the logo (see Gibson at column 3, line 65-column 4, line 35 and column 6, lines 1-24).

As to claim 19, while Banker, Graczyk, Seth-Smith and Gibson disclose generating the overlay menu utilizing a set top converter (see Banker at column 12, lines 42-61), they fail to specifically disclose using data received during a vertical blanking interval.

The examiner takes Official Notice that it was notoriously well known in the art at the time of invention by applicant to utilize data from a vertical blanking interval, as receiving data during a vertical blanking interval at a set top terminal allows a cable headend or other programming provider to download additional data and information to a user's system, such as interactive information or data updates, for the typical benefit allowing additional and updated information to be received at a user's terminal from a broadcast provider utilizing a television signal.

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker, Graczyk, Seth-Smith and Gibson's system to include using data received during a vertical blanking interval for the typical benefit allowing additional and updated information to be received at a user's terminal from a broadcast provider utilizing a television signal.

As to claim 20, Banker, Graczyk, Seth-Smith and Gibson disclose wherein the logo is displayed in a corner of the screen of the television periodically for a specified duration (see Gibson at Fig. 3B, Fig. 4, step 408; column 5, lines 6-20).

As to claim 21, while Banker, Graczyk, Seth-Smith and Gibson disclose wherein the logo is displayed for a particular period of time (pertaining to periods of time an object is on the display; see Gibson at column 6, lines 10-18 and column 4, lines 7-26 and lines 45-54), they fail to specifically disclose displaying the logo for 15 seconds during a plurality of ten-minute segments of the program.

The examiner takes Official Notice that it was notoriously well known in the art at the time of invention by applicant to display specific objects in a media presentation for at least 15 seconds during a plurality of ten-minutes segments of the program, such as the main character or object in a television program or movie, for the typical benefit of displaying important information to viewer's during extended periods of time during a program.

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker, Graczyk, Seth-Smith and Gibson's system to include displaying the logo for 15 seconds during a plurality of ten-minute segments of the program for the typical benefit of displaying important information to viewer's during extended periods of time during a program.

9. Claims 24 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Banker and Seth-Smith, as applied to claim 23 above, and further in view of Gibson.

As to claim 24, while Banker, Graczyk and Seth-Smith disclose displaying one of the programs on the screen, they fail to specifically disclose displaying during the program a logo indicating that interactive features are associated with the program.

In an analogous art, Gibson discloses a system wherein an interactive menu system for display on a television in conjunction with television programming (column 2, lines 10-27), wherein

a logo that is displayed on a display during a program having one or more interactive features (column 3, line 65-column 4, line 35 and column 6, lines 1-24);

a overlay menu that is displayed during the program (displayed list of choices; column 6, lines 51-56), the overlay menu including the interactive features (column 6, lines 53-62),

wherein the logo indicates to a user that the interactive features are available for the program (column 4, lines 7-35 and column 6, lines 1-24), and wherein the overlay

Art Unit: 2623

menu is displayed in response to a signal received from a user input (column 6, line 38-56) for the typical benefit of allowing a user to elect to access additional information associated with a multimedia presentation (column 1, lines 39-63).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Banker, Graczyk and Seth-Smith's system to include displaying during the program a logo indicating that interactive features are associated with the program, as taught by Gibson, for the typical benefit of providing a user with a means to easily identify and access additional information related to a displayed video presentation.

As to claim 25, Banker, Graczyk, Seth-Smith and Gibson disclose receiving from the user input device a signal associated with the logo (see Gibson at column 4, lines 7-36 and column 6, lines 5-10); and

displaying, in response to the signal, an overlay menu of the interactive features (see Gibson at column 6, lines 51-57).

Conclusion

10. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Application/Control Number: 09/964,891 Page 25

Art Unit: 2623

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

11. The following are suggested formats for either a Certificate of Mailing or Certificate of Transmission under 37 CFR 1.8(a). The certification may be included with all correspondence concerning this application or proceeding to establish a date of mailing or transmission under 37 CFR 1.8(a). Proper use of this procedure will result in such communication being considered as timely if the established date is within the required period for reply. The Certificate should be signed by the individual actually depositing or transmitting the correspondence or by an individual who, upon information and belief, expects the correspondence to be mailed or transmitted in the normal course of business by another no later than the date indicated.

Certificate of Mailing

Commissioner for Patents

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

P.O. Box 1450 Alexandria, VA 22313-1450	
on (Date)	
Typed or printed name of person signing this	s certificate:
Signature:	
Registration Number:	

Certificate of Transmission

Application/Control Number: 09/964,891 Page 26

Art Unit: 2623

Trademark Office, Fax No. () on (Date)
Typed or printed name of person signing this certificate:

Signature:
Registration Number:

Please refer to 37 CFR 1.6(d) and 1.8(a)(2) for filing limitations concerning facsimile transmissions and mailing, respectively.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Sheleheda whose telephone number is (571) 272-7357. The examiner can normally be reached on 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Kelley can be reached on (571) 272-7331. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2623

Page 27

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

James Sheleheda Patent Examiner Art Unit 2623

JS

CHRIS KELLEY

PATENT EXAMINER

ENTER 2600